LGAI Technological Center, S.A. (APPLUS)
Campus UAB - Ronda de la Font del Carme s/n
08193 Bellaterra (Barcelona)
T +34 93 567 20 00
www.appluslaboratories.com

Applus⊕

CERTIFICATE

No. 000218/05

In accordance with the **CertAlarm** Rules
and Certification System 5, as defined in ISO / IEC Guide 67,
we **APPLUS** CB02 certify that the product

ZITON ZP2 (2010-2 SERIES)
FIRE DETECTION AND ALARM SYSTEM – ZITON PROTOCOL

Is in conformity with the following standard(s)

EN 54-13:2005
Compatibility assessment of system components

CARRIER FIRE & SECURITY B.V.

Kelvinstraat, 7 6003 DH Weert, The Netherlands

Is authorised to use the CERTALARM Mark on the above mentioned product.

This certificate is valid until:

20th March 2027

Signed on behalf of APPLUS CB02.

28th April 2023

Applus⊕
LGAI Technological Center, S.A.

Xavier Ruiz Peña

Product Conformity B.U., Managing Director

ENAC
CERTIFICACIÓN
ISO 17065
Nº12 / C-PR054

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 1 of 25

CCA
CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

Takes into account the following product:

ZITON ZP2 (2010-2 SERIES) FIRE DETECTION AND ALARM SYSTEM – ZITON PROTOCOL

Variants:

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Fire panels					
Addressable Fire Panel with user interface - 1 loop	ARITECH	2X-F1	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop	ARITECH	2X-F2	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop (Scandinavia)	ARITECH	2X-F1-SC	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop (Scandinavia)	ARITECH	2X-F2-SC	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 1 loop small cabinet	ARITECH	2X-F1-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop small cabinet	ARITECH	2X-F2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop small cabinet (Scandinavia)	ARITECH	2X-F1-SC-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop small cabinet (Scandinavia)	ARITECH	2X-F2-SC-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop with printer	ARITECH	2X-F2-PRT	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop	ARITECH	2X-F1-FB2	1	54-2 54-4	03.05.05.D

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 2 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel with user interface with fire brigade controls - 1 loop small cabinet	ARITECH	2X-F1-FB2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop	ARITECH	2X-F2-FB2	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop small cabinet	ARITECH	2X-F2-FB2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop with printer	ARITECH	2X-F2-FB2-PRT	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 1 loop (Scandinavia)	ARITECH	2X-F1-SCFB	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 1 loop small cabinet (Scandinavia)	ARITECH	2X-F1-SCFB-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 2 loop (Scandinavia)	ARITECH	2X-F2-SCFB	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 2 loop small cabinet (Scandinavia)	ARITECH	2X-F2-SCFB-S	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 1 loop	ARITECH	2X-E1	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 1 loop small cabinet	ARITECH	2X-E1-S	1	54-2 54-4	03.05.05.D

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 3 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 2 loop	ARITECH	2X-E2	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 2 loop small cabinet	ARITECH	2X-E2-S	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 1 loop	ZITON	ZP2-E1	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 1 loop small cabinet	ZITON	ZP2-E1-S	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 2 loop	ZITON	ZP2-E2	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Panel with user interface with fire brigade controls - 2 loop small cabinet	ZITON	ZP2-E2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 1 loop	ZITON	ZP2-F1	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop	ZITON	ZP2-F1-FB2	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop small cabinet	ZITON	ZP2-F1-FB2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 1 loop small cabinet	ZITON	ZP2-F1-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop (Scandinavia)	ZITON	ZP2-F1-SC	1	54-2 54-4	03.05.05.D

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 4 of 25

CertAlarm
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 1 loop (Scandinavia)	ZITON	ZP2-F1-SCFB	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 1 loop small cabinet (Scandinavia)	ZITON	ZP2-F1-SCFB-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 1 loop small cabinet (Scandinavia)	ZITON	ZP2-F1-SC-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop	ZITON	ZP2-F2	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop	ZITON	ZP2-F2-FB2	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop with printer	ZITON	ZP2-F2-FB2-PRT	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop small cabinet	ZITON	ZP2-F2-FB2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop with printer	ZITON	ZP2-F2-PRT	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface - 2 loop small cabinet	ZITON	ZP2-F2-S	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop (Scandinavia)	ZITON	ZP2-F2-SC	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 2 loop (Scandinavia)	ZITON	ZP2-F2-SCFB	1	54-2 54-4	03.05.05.D

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 5 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel with user interface with SS3654 fire brigade controls - 2 loop with Printer (Scandinavia)	ZITON	ZP2-F2-SCFB-PRT	1	54-2 54-4	03.05.05.D
Addressable Fire Panel with user interface with fire brigade controls - 2 loop small cabinet (Scandinavia)	ZITON	ZP2-F2-SC-S	1	54-2 54-4	03.05.05.D
Fire panels accessories					
Addressable Fire Panel Accessory - Loop Expansion Printed Circuit Board - 2 loop	Aritech	2X-LB	---	---	03.01.01
Addressable Fire Panel Accessory - Loop Expansion Printed Circuit Board - 2 loop Ziton	ZITON	ZP2-LB	---	---	03.00.09
Addressable Fire Panel Accessory - Network Printed Circuit Board	EDWARDS	2010-2-NB	---	---	02.03.06
Addressable Fire Panel Accessory - LED indicator - 20 zone	ARITECH	2X-ZI-20	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 20 zone Ziton	ZITON	ZP2-ZI-20	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 40 zone	ARITECH	2X-ZI-40	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 40 zone Ziton	ZITON	ZP2-ZI-40	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 24 zone	ARITECH	2X-ZI-24-S	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 24 zone Ziton	ZITON	ZP2-ZI-24-S	---	---	01.01.00
Addressable Fire Panel Accessory – External RS-232 Printer Kit	EDWARDS	2010-2-232-KIT	---	---	---
Addressable Fire Panel Accessory – Fault Supervision PCB	EDWARDS	2010-2-FS_EOL	---	---	---

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 6 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Scand Key+Lock Addressable Fire Panel Accessory Sscandinavian Key Kit	EDWARDS	2010-SK Scand Key+Lock	---	---	---
Addressable Fire Panel Accessory – UK Power Supply Cable Kit	ZITON	2010-2-PS-C2 (UK cable)	---	---	Mechanical part
Addressable Fire Panel Accessory – Internal Printer Kit	EDWARDS	2010-2-PRT	---	---	---
Addressable Fire Panel Accessory – External Printer	EDWARDS	2010-2-PRT-3P	---	---	Mechanical part
Addressable Fire Panel Accessory – Peripheral Interface Board German Version	EDWARDS	2010-2-PIB	---	---	00.05.08
Addressable Fire Panel Accessory – Peripheral Interface Board 8 Supervised Outputs	EDWARDS	2010-2-PIB-8O	---	---	00.05.08
Addressable Fire Panel Accessory - Peripheral Interface Board 8 Supervised Inputs	EDWARDS	2010-2-PIB-8I	---	---	00.05.08
Addressable Fire Panel Accessory - Peripheral Interface Board 8 Supervised Inputs and 8 Outputs	EDWARDS	2010-2-PIB-8I8O	---	---	00.05.08
Addressable Fire Panel Accessory – Redundancy Adapter For German Panels - Master	IFAM	ADP-N3E-U	---	---	1.4.15.00
Addressable Fire Panel Accessory - Redundancy Adapter For German Panels - Slave	IFAM	ADP-N3S	---	---	1.4.15.00
Addressable Fire Panel Accessory - Digital Alarm Communicator Transmitter	EDWARDS	2010-2-DACT	---	---	01.02.12
Addressable Fire Panel Accessory – Flush mounting Accessory	EDWARDS	2010-2T-FM	---	---	Mechanical part

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 7 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel Accessory – Flush Mounting Accessory Small Cabinet	EDWARDS	2010-2T-FM-S	---	---	Mechanical part
Addressable Fire Panel Accessory – 19" Rack Accessory	EDWARDS	2010-2T-19	---	---	Mechanical part
Addressable Fire Panel Accessory – 19" Rack Accessory Small Cabinet	EDWARDS	2010-2T-19-S	---	---	Mechanical part
Addressable Fire Panel Accessory – Power Supply 4A	EDWARDS	2010-2-PS-40(4A PSU)	---	---	---
Repeaters					
Addressable Fire Panel Repeater	ARITECH	2X-FR[1]	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls (Scandinavia)	ARITECH	2X-FR-SC[1]	1	54-1	03.05.05.D
Addressable Fire Panel Repeater small cabinet	ARITECH	2X-FR-S[1]	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls small cabinet (Scandinavia)	ARITECH	2X-FR-SC-S	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls	ARITECH	2X-FR-FB2	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls small cabinet	ARITECH	2X-FR-FB2-S	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with SS3654 fire brigade controls (Scandinavia)	ARITECH	2X-FR-SCFB	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with SS3654 fire brigade controls small cabinet (Scandinavia)	ARITECH	2X-FR-SCFB-S	1	54-1	03.05.05.D
Addressable Fire and Evacuation Panel Repeater with fire brigade controls	ARITECH	2X-ER	1	54-1	03.05.05.D
Addressable Fire and Evacuation Panel Repeater with fire brigade controls small cabinet	ARITECH	2X-ER-S	1	54-1	03.05.05.D

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 8 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire and Evacuation Compact Repeater	ARITECH	2X-ER-C	2	54-1	03.05.05.D
Addressable Fire Compact Repeater	ARITECH	2X-FR-C	2	54-1	03.05.05.D
Addressable Fire Compact Delay Repeater	ARITECH	2X-FR-D-C	2	54-1	03.05.05.D
Addressable Fire Compact Fire Brigade Repeater	ARITECH	2X-FR-FB2-C	2	54-1	03.05.05.D
Addressable Fire Compact Fire Brigade DK Repeater	ARITECH	2X-FR-NL-C	2	54-1	03.05.05.D
Addressable Fire Compact Fire Brigade DK SK Repeater	ARITECH	2X-FR-SCFB-C	2	54-1	03.05.05.D
Addressable Fire Panel Repeater	ZITON	ZP2-FR	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls	ZITON	ZP2-FR-FB2	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls small cabinet	ZITON	ZP2-FR-FB2-S	1	54-1	03.05.05.D
Addressable Fire Panel Repeater small cabinet	ZITON	ZP2-FR-S	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls (Scandinavia)	ZITON	ZP2-FR-SC	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with SS3654 fire brigade controls (Scandinavia)	ZITON	ZP2-FR-SCFB	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with SS3654 fire brigade controls small cabinet (Scandinavia)	ZITON	ZP2-FR-SCFB-S	1	54-1	03.05.05.D
Addressable Fire Panel Repeater with fire brigade controls small cabinet (Scandinavia)	ZITON	ZP2-FR-SC-S	1	54-1	03.05.05.D
Addressable Fire and Evacuation Panel Repeater with fire brigade controls	ZITON	ZP2-ER	1	54-2 54-4	03.05.05.D

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 9 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire and Evacuation Panel Repeater with fire brigade controls small cabinet	ZITON	ZP2-ER-S	1	54-2 54-4	03.05.05.D
Addressable Fire and Evacuation Compact Repeater	ZITON	ZP2-ER-C	2	---	03.05.05.D
Addressable Fire Compact Repeater	ZITON	ZP2-FR-C	2	---	03.05.05.D
Addressable Fire Compact Delay Repeater	ZITON	ZP2-FR-D-C	2	---	03.05.05.D
Addressable Fire Compact Fire Brigade Repeater	ZITON	ZP2-FR-FB2-C	2	---	03.05.05.D
Addressable Fire Compact Fire Brigade DK Repeater	ZITON	ZP2-FR-NL-C	2	---	03.05.05.D
Addressable Fire Compact Fire Brigade DK SK Repeater	ZITON	ZP2-FR-SCFB-C	2	---	03.05.05.D
Repeaters accessory					
Addressable Fire Panel Accessory - Digital Alarm Communicator Transmitter	EDWARDS	2010-2-DACT	---	---	01.02.12
Addressable Fire Panel Accessory - Network Printed Circuit Board	EDWARDS	2010-2-NB	---	---	02.03.06
Addressable Fire Panel Accessory - LED indicator - 20 zone	ARITECH	2X-ZI-20	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 20 zone Ziton	ZITON	ZP2-ZI-20	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 40 zone	ARITECH	2X-ZI-40	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 40 zone Ziton	ZITON	ZP2-ZI-40	---	---	01.01.00
Addressable Fire Panel Accessory - LED indicator - 24 zone	ARITECH	2X-ZI-24-S	---	---	01.01.00

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 10 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel Accessory - LED indicator - 24 zone Ziton	ARITECH	ZP2-ZI-24-S	---	---	01.01.00
Addressable Fire Panel Accessory – External RS-232 Printer Kit	EDWARDS	2010-2-232-KIT	---	---	---
Addressable Fire Panel Accessory – Fault Supervision PCB	EDWARDS	2010-2-FS_EOL	---	---	---
Scand Key+Lock Addressable Fire Panel Accessory Sscandinavian Key Kit	EDWARDS	2010-SK Scand Key+Lock	---	---	---
Addressable Fire Panel Accessory – UK Power Supply Cable Kit	ZITON	2010-2-PS-C2 (UK cable)	---	---	---
Addressable Fire Panel Accessory – Internal Printer Kit	EDWARDS	2010-2-PRT	---	---	---
Addressable Fire Panel Accessory – External Printer	EDWARDS	2010-2-PRT-3P	---	---	Mechanical part
Addressable Fire Panel Accessory – Peripheral Interface Board German Version	EDWARDS	2010-2-PIB	---	---	00.05.08
Addressable Fire Panel Accessory – Peripheral Interface Board 8 Supervised Outputs	EDWARDS	2010-2-PIB-8O	---	---	00.05.08
Addressable Fire Panel Accessory - Peripheral Interface Board 8 Supervised Inputs	EDWARDS	2010-2-PIB-8I	---	---	00.05.08
Addressable Fire Panel Accessory - Peripheral Interface Board 8 Supervised Inputs and 8 Outputs	EDWARDS	2010-2-PIB-8I8O	---	---	00.05.08
Addressable Fire Panel Accessory - Redundancy Adapter For German Panels - Slave	IFAM	ADP-N3S	---	---	1.4.15.00
Addressable Fire Panel Accessory - Redundancy Adapter For German Panels - Master	IFAM	ADP-N3E-U	---	---	1.4.15.00

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 11 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Addressable Fire Panel Accessory – Flush mounting Accessory	EDWARDS	2010-2T-FM	---	---	Mechanical part
Addressable Fire Panel Accessory – Flush Mounting Accessory Small Cabinet	EDWARDS	2010-2T-FM-S	---	---	Mechanical part
Addressable Fire Panel Accessory – 19" Rack Accessory	EDWARDS	2010-2T-19	---	---	Mechanical part
Addressable Fire Panel Accessory – 19" Rack Accessory Small Cabinet	EDWARDS	2010-2T-19-S	---	---	Mechanical part
Addressable Fire Panel Accessory – Power Supply 4A	EDWARDS	2010-2-PS-40(4A PSU)	---	---	---
Addressable detectors and compatible mounting bases					
Ziton heat detector	ZITON	ZP720-3	1	EN54-5	---
Ziton heat detector Polar White	ZITON	ZP720-3P	1	EN54-5	---
Ziton optical smoke detector	ZITON	ZP730-2	1	EN54-7	---
Ziton black optical smoke detector	ZITON	ZP730-2B	1	EN54-7	---
Ziton black optical smoke detector Polar White	ZITON	ZP730-2P	1	EN54-7	---
Ziton optical smoke detector Chubb labelled	ZITON	ZP730-2S30	1	EN54-7	---
Ziton dual optical/heat detector	ZITON	ZP732-2	1	EN54-5/7	---
Ziton dual optical/heat detector Polar White	ZITON	ZP732-2P	1	EN54-5/7	---
Ziton dual optical/heat detector Chubb labelled	ZITON	ZP732-2S30	1	EN54-5/7	---
Ziton recessed mounting base	ZITON	ZP7-RB1	1	EN54-1	---
Ziton recessed mounting base Polar White	ZITON	ZP7-RB1-P	1	EN54-1	---
Ziton surface mounting base	ZITON	ZP7-SB1	1	EN54-1	---
Ziton surface mounting base Polar White	ZITON	ZP7-SB1-P	1	EN54-1	---
Ziton surface mounting base Black	ZITON	ZP7-SB1B	1	EN54-1	---
Ziton isolator base	ZITON	ZP7-IB	1	EN54-17	---

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 12 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Ziton isolator base Polar White	ZITON	ZP7-IB-P	1	EN54-17	---
Ziton isolator base Polar White	ZITON	ZP7-IB2-P	1	EN54-17	---
Ziton auxiliary plate for Z6 and ZP7 bases	ZITON	Z-AUX2	1	EN54-1	Mechanical part
Ziton deep mounting for Z6 and ZP7 bases	ZITON	Z-AUXD-2	1	EN54-1	Mechanical part
Ziton dual optical/heat detector	ZITON	ZX832-3P	1	EN54-5/7	---
Ziton dual optical/heat detector Black	ZITON	ZX832-3B	1	EN54-5/7	---
Ziton reflective beam detector	ZITON	FDR50-EZ	1	EN54-12	---
Ziton reflective beam detector	ZITON	FDR100-EZ	1	EN54-12	---
Addressable manual call points					
Ziton red manual call point with EN54 marking (flush mount)	ZITON	ZP785-3	1	EN54-11	---
Ziton red manual call point for Sweden	ZITON	ZP785-3S-SW	1	EN54-11	---
Ziton white manual call point with EN54 marking (surface mount)	ZITON	ZP785-3WS	1	EN54-11	---
Ziton yellow manual call point (surface mount)	ZITON	ZP785-3YS	1	EN54-11	---
Ziton red manual call point, weatherproof IP67 (surface mount)	ZITON	ZP787-3	1	EN54-11	---
Ziton red manual call point for Sweden, weatherproof IP67 (surface mount)	ZITON	ZP787-3-SW	1	EN54-11	---
Ziton red manual call point	ZITON	ZP785-3S30	1	EN54-11	---
Addressable Manual Call Point IP41	ZITON	ZP885	1	EN54-11	2.4.4
Addressable Manual Call Point IP67	ZITON	ZP887	1	EN54-11	2.4.4
Addressable I/O modules					
Ziton interface module	ZITON	A45E-2	1	EN54-18	---
Ziton relay module	ZITON	A50E-2	1	EN54-18	---

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 13 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Ziton relay module (mains switching)	ZITON	A51E-1	1	EN54-18	---
Ziton isolator module	ZITON	A60E-2	1	EN54-17	---
Ziton conventional zone module	ZITON	A70E-2	1	EN54-18	---
Ziton monitored dual output module/Sounder unit	ZITON	ZP752-2	1	EN54-18	---
Ziton enclosure for A series modules (excluding A51E-1)	ZITON	ZP7-I/O	1	EN54-1	Mechanical part
Surface-mount box for A series modules, IP66 (2 single or 1 double)	ZITON	SMB-DIN1	1	EN54-1	Mechanical part
Surface-mount box for A series modules, IP66 (4 single or 2 double)	ZITON	SMB-DIN2	1	EN54-1	Mechanical part
Addressable sounders and beacons					
Type of Device	**Brand**	**Model**	**Type**	**EN54 Part**	**FW version**
Grey plug-in base	ZITON	SPB-2G	1	EN54-1	---
Red sounder plug-in base	ZITON	SPB-2R	1	EN54-1	---
White sounder plug-in base	ZITON	SPB-2W	1	EN54-1	---
Ziton 90 dBA base sounder (surface mount)	ZITON	ZP755B-2W	1	EN54-3	---
Ziton 90 dBA base sounder (surface mount) Polar White	ZITON	ZP755B-2P	1	EN54-3	---
Ziton white 90 dBA base sounder beacon (surface mount)	ZITON	ZP755BV-3W	1	EN54-3/23	---
Ziton white 90 dBA base sounder beacon (surface mount) Polar White	ZITON	ZP755BV-4P	1	EN54-3/23	---
Ziton red cover for ZP755B base sounder with no detector	ZITON	ZP755-COV-R	1	EN54-1	---
Ziton white cover for ZP755B base sounder with no detector	ZITON	ZP755-COV-W	1	EN54-1	---
Ziton red 102 dBA horn sounder with dual front/rear sound paths	ZITON	ZP755HA-2R	1	EN54-3	---

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 14 of 25

CertAlarm
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Ziton white 102 dBA horn sounder with dual front/rear sound paths	ZITON	ZP755HA-2W	1	EN54-3	---
Ziton white 102 dBA horn sounder with dual front/rear sound paths	ZITON	ZP755HA-2P	1	EN54-3	---
Ziton red 102 dBA omnidirectional sounder beacon	ZITON	ZP755HAV-2R	1	EN54-3/23	---
Ziton white 102 dBA omnidirectional sounder beacon	ZITON	ZP755HAV-2W	1	EN54-3/23	---
Ziton white 102 dBA omnidirectional sounder beacon	ZITON	ZP755HAV-2P	1	EN54-3	---
Ziton red 90 dBA room sounder with cover Red	ZITON	ZP755R-2R	1	EN54-3	---
Ziton white 90 dBA room sounder with cover White	ZITON	ZP755R-2W	1	EN54-3	---
Ziton white 90 dBA room sounder with cover Polar White	ZITON	ZP755R-2P	1	EN54-3	---
Ziton red 105 dBA weatherproof horn sounder	ZITON	ZP755W-R	1	EN54-3	---
ZP7 Series Addressable Weatherproof Sounder, RED	ZITON	ZP755W-2R	1	EN54-3	---
Ziton weatherproof horn sounder beacon	ZITON	ZP755WV-2R	1	EN54-3/23	---
EST grey 90 dBA base sounder (surface mount)	EST	EA55B-2G	1	EN54-3	---
EST red 102 dBA horn sounder with dual front/rear sound paths	EST	EA55HA-2R	1	EN54-3	---
EST white 102 dBA horn sounder with dual front/rear sound paths	EST	EA55HA-2W	1	EN54-3	---
EST red 102 dBA omnidirectional sounder beacon	EST	EA55HAV-2R	1	EN54-3	---
EST white 102 dBA omnidirectional sounder beacon	EST	EA55HAV-2W	1	EN54-3	---
EST red 90 dBA room sounder with cover	EST	EA55R-2R	1	EN54-3	---
EST white 90 dBA room sounder with cover	EST	EA55R-2W	1	EN54-3	---

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 15 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
EST red 105 dBA weatherproof horn sounder	EST	EA55W-2R	1	EN54-3	---
Addressable wireless devices					
Ziton wireless 868MHz Bi-directional Radio Loop Module	ZITON	ZPR868	1	EN54-25	---
Addressable type 2 devices					
Ziton white beacon with clear lens (surface mount)	ZITON	ZP755V	2	EN54-23	---
Ziton white beacon with clear lens (surface mount) Polar White	ZITON	ZP755V-P	2	EN54-23	---
Ziton white base for ZP755V remote power requirement (surface mount)	ZITON	ZP7-SBB	2	EN54-1	---
Ziton white base for ZP755V remote power (surface mount) Polar White	ZITON	ZP7-SBB-P	2	EN54-1	---
Conventional intrinsically safe devices					
Orbis Intrinsically Safe Heat Detector, Grade A2S	ARITECH	DT673	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Heat Detector, Grade A1R	ARITECH	DT674	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Heat Detector, Grade BR	ARITECH	DT675	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Heat Detector, Grade BS	ARITECH	DT676	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Heat Detector, Grade CR	ARITECH	DT677	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Heat Detector, Grade CS	ARITECH	DT678	2	EN54-5	34000-033SW_4A
Orbis Intrinsically Safe Optical Smoke Detector	ARITECH	DP672	2	EN54-7	34000-034SW_Iss 6
Orbis Intrinsically Safe Optical/Heat Multi-Sensor	ARITECH	DP672T	2	EN54-5 / 7	34000-035SW_Iss 86
Orbis Intrinsically Safe TimeSaver Base	ARITECH	DB670	2	EN54-1	---

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 16 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Optical and Acustical Remote Indicator	ARITECH	AI673	2	---	---
Manual Call point, I.S.,Red, Outdoor, Surface Mount, Glass	ARITECH	DMN700E-IS	1 & 2	EN54-11	---
Manual Call point, I.S.,Red, Indoor, Surface Mount, Glass	ARITECH	172120	1 & 2	EN54-11	---
XP95 IS Galvanic Barrier	ARITECH	GBX2000	1 & 2	---	---
Fire Sounder, Intrinsic Safe, Multi-tone, Surface Mount	ARITECH	AS372	1 & 2	EN54-3	---
LED Beacon, Intrinsic Safe, RED Lens	EDWARDS	FA370	1 & 2	---	---
I.S. Galvanic isolator for AS372/FA370 series	ARITECH	GBX370	1 & 2	EN54-3	---
Conventional linear heat detector					
Conventional controller for analogue linear heat cable	ARITECH	DT650L	1 & 2	EN54-1	---
Analogue linear heat cable, PVC	ARITECH	HC650	1 & 2	EN54-1	---
Environment tests are fitted, see documentation.					
Conventional high sensivity aspiration unit					
LaserSense Nano High Sensitivity Smoke Detector	ARITECH	FHSD8010	1 & 2	EN54-20	V1.5, 1.6
LaserSense 25 High Sensitivity Smoke Detector	ARITECH	FHSD8025	1 & 2	EN54-20	V2.5, 2.6
LaserSense 100 High Sensitivity Smoke Detector	ARITECH	FHSD8100	1 & 2	EN54-20	2.4
LaserSense HSSD2 High Sensitivity Smoke Detector	ARITECH	FHSD8200	1 & 2	EN54-20	2.6
LaserSense HSSD2 High Sensitivity Smoke Detector w/o display	ARITECH	FHSD8210	1 & 2	EN54-20	2.6
LaserSense HSSD2 High Sensitivity Smoke Detector Command Module	ARITECH	FHSD8220	1 & 2	EN54-20	2.6
LaserSense HSSD2 Command Module	ARITECH	FHSD8230	1 & 2	EN54-1	2.6

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 17 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Ziton APIC Module (Auxiliary part inside FHSD modules)	ZITON	APC 10338	1 & 2	EN54-1	9-ASS48099
Conventional flame detector					
Dual IR flame detector in die-cast zinc alloy housing	ARITECH	FF742	1 & 2	EN54-10	TBDT03C2
Dual IR flame detector in Eexd - IIC T6 flame proof housing	ARITECH	FF746	1 & 2	EN54-10	TBDT03C2
Dual IR Intrinsic safe flame detector in die-cast zinc alloy housing	ARITECH	FF747	1 & 2	EN54-10	TBDT03C2
UV / Dual IR flame detector in die cast zinc alloy housing	ARITECH	FF751	1 & 2	EN54-10	TBDT03C2
UV / Dual IR flame detector in Eexd - IIC T6 flame proof housing	ARITECH	FF756	1 & 2	EN54-10	TBDT03C2
Triple IR flame detector in die-cast zinc alloy housing	ARITECH	FF762	1 & 2	EN54-10	TBDT03C2
Triple IR flame detector in Eexd - IIC T6 flame proof housing	ARITECH	FF766	1 & 2	EN54-10	TBDT03C2
Triple IR flame detector in Eexd - IIC T6 flame proof housing in die-cast zinc alloy housing	ARITECH	FF767	2	EN54-10	TBDT03C2
MCP					
Manual Callpoint, Red, 100 ohm, Free Contact, Outdoor, Surface Mount, Resetable	EDWARDS	DMN700R100-KITR	1 & 2	EN54-11	---
Conventional beams detectors					
Reflective Zone Powered Beam Detector - 5-50 m	ARITECH	FD705R	1 & 2	EN54-12	---
Reflective Zone Powered Beam Detector - 50-100 m	ARITECH	FD710R	1 & 2	EN54-12	---
Reflective Zone Powered Beam Detector - 5-50 m	ARITECH	FD705RVDS	1 & 2	EN54-12	---

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 18 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Reflective Zone Powered Beam Detector - 50-100 m	ARITECH	FD710RVDS	1 & 2	EN54-12	---
Additional Detector, 8 - 50m, for use with FD805R-N or FD810R-N	ARITECH	FD805RH-N	1 & 2	EN54-12	---
Auto aligning reflective beam detector 8 - 50m	ARITECH	FD805R-N	1 & 2	EN54-12	---
Additional Detector, 50 - 100m, for use with FD805R-N or FD810R-N (see note)	ARITECH	FD810RH-N	1 & 2	EN54-12	---
Auto aligning reflective beam detector 50 - 100m (see note)	ARITECH	FD810R-N	1 & 2	EN54-12	---
End-to-end Beam Detector - 5 to 120 m	ARITECH	FD310	1 & 2	EN54-12	---
Beam smoke detector 10 - 100m	ARITECH	FD2000	1 & 2	EN54-12	---
Beam smoke detector 10 - 100m, flame proof	ARITECH	FD2010	1 & 2	EN54-12	---
Duct detector, single pipe universal	ARITECH	FDD710	1 & 2	EN54-1	Mechanical part
Door holders					
400N door holder with release button (surface mount)	ARITECH	FE230	2	EN1155	---
400N door holder (square base)	ARITECH	FE235	2	EN1155	---
400N door holder (flush mount)	ARITECH	FE240	2	EN1155	---
400N door holder with release button (wall mount)	ARITECH	FE245	2	EN1155	---
400N door holder with release button (floor mount)	ARITECH	FE250	2	EN1155	---
400N door holder with universal adjustable tube and release button 175 mm)	ARITECH	FE260-175	2	EN1155	---

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 19 of 25

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
400N door holder with universal adjustable tube and release button 325 mm)	ARITECH	FE260-325	2	EN1155	---
400N door holder with universal adjustable tube and release button 475 mm)	ARITECH	FE260-475	2	EN1155	---
Door magnet with universal adjustable tube and VdS magnet	ARITECH	FE527	2	EN1155	Mechanical part
Door magnet with steel square base and VdS magnet (IP65)	ARITECH	FE529	2	EN1155	Mechanical part
Conventional sounders and beacons					
Red multitone sounder (shallow base)	EDWARDS	AS363	1	54-3	18-185540 v.9
White multitone sounder (shallow base)	EDWARDS	AS363W	1	54-3	18-185541 v.9
Red multitone sounder with (deep base)	EDWARDS	AS364	1	54-3	18-185542 v.9
White multitone sounder (deep base)	EDWARDS	AS364W	1	54-3	18-185543 v.9
Red multitone sounder and beacon (shallow base)	EDWARDS	AS366	1	54-3/23	---
White multitone sounder and beacon (shallow base)	EDWARDS	AS366W	1	54-3/23	---
Red multitone sounder and beacon (deep base)	EDWARDS	AS367	1	54-3/23	---
White multitone sounder and beacon (deep base)	EDWARDS	AS367W	1	54-3/23	---
Ceiling Mount RED VAD, Multi-Tone, Shallow base, RED flash	EDWARDS	ASC366	1	54-3/23	---
Ceiling Mount WHITE VAD, Multi-Tone, Shallow base, RED flash	EDWARDS	ASC366W	1	54-3/23	---
Ceiling Mount RED VAD, Multi-Tone, Deep base, RED flash	EDWARDS	ASC367	1	54-3/23	---

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 20 of 25

CERTIFICATE

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
Ceiling Mount WHITE VAD, Multi-Tone, Deep base, RED flash	EDWARDS	ASC367W	1	54-3/23	---
Wall Mount RED VAD, Multi-Tone, Shallow base, RED flash	EDWARDS	ASW366	1	54-3/23	---
Wall Mount WHITE VAD,Multi-Tone, Shallow base, RED flash	EDWARDS	ASW366W	1	54-3/23	---
Wall Mount RED VAD, Multi-Tone, Deep base, RED flash	EDWARDS	ASW367	1	54-3/23	---
Wall Mount WHITE VAD, Multi-Tone, Deep base, RED flash	EDWARDS	ASW367W	1	54-3/23	---
Fire Sounder, Multi-Tone, High Output IP66	EDWARDS	AS376	1	54-3	---
Sounder/Beacon, Multi-Tone, High Output, IP66 RED flash	EDWARDS	ASW377	1	54-3	ir-0048-1.0
Red multitone sounder base	EDWARDS	AS368	1	54-3	---
White multitone sounder base	EDWARDS	AS368W	1	54-3	---
Red sounder and beacon for outdoor use (high output, English)	EDWARDS	AS371	1	54-3/23	---
Red sounder and beacon for outdoor use (high output, Spanish)	EDWARDS	AS371-09	1	54-3	---
Red sounder and beacon for outdoor use (high output, Portuguese)	EDWARDS	AS371-21	1	54-3	---
Red multitone horn sounder for hazardous areas	EDWARDS	AS374	1	54-3	---
Fire Sounder-Beacon, Multi-Tone, High Output IP66	EDWARDS	AS377	1	54-3	---
6" fire bell for indoor use (24 VDC)	EDWARDS	AB360	1	54-3	---
6" fire bell for indoor use (24 VDC, Swedish)	EDWARDS	AB360-06	1	54-3	---
8" fire bell for output use (24 VDC)	EDWARDS	AB380E	1	54-3	---
RED VAD, Shallow Base, Ceiling mount, RED flash	EDWARDS	FAC350	1	54-23	---

www.certalarm.org

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 21 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
RED VAD, Shallow Base, Ceiling mount, WHITE flash	EDWARDS	FAC350C	1	54-23	---
RED VAD, Depp Base, Ceiling mount, RED flash	EDWARDS	FAC355	1	54-23	---
WHITE VAD, Deep Base, Ceiling mount, RED flash	EDWARDS	FAC355W	1	54-23	---
WHITE VAD, Depp Base, Ceiling mount, WHITE flash	EDWARDS	FAC355WC	1	54-23	---
RED VAD, Shaloow base, Wall mount, RED flash	EDWARDS	FAW350	1	54-23	---
RED VAD, Shaloow base, Wall mount, WHITE flash	EDWARDS	FAW350C	1	54-23	---
RED VAD, Deep base, Wall mount, RED flash	EDWARDS	FAW355	1	54-23	---
WHITE VAD, Deep base, Wall mount, RED flash	EDWARDS	FAW355W	1	54-23	---
WHITE VAD, Deep base, Wall mount, WHITE flash	EDWARDS	FAW355WC	1	54-23	---
Sounder Beacon RIM with "Fire" text	Aritech	AS36RIM	1	EN 54-1	Mechanical part
Sounder Beacon RIM with "Fuego" text	Aritech	AS36RIM-09	1	EN 54-1	Mechanical part
IFAM system					
Control & Indicating Equipments for VdS2489 System Approval (external devices)	IFAM	FAT3000 (9102.0463)	2	---	v.1.4.15.00
Control & Indicating Equipments for VdS2489 System Approval (external devices)	IFAM	FBF3000 (9102.1105)	2	---	v.1.4.15.00
Control & Indicating Equipments for VdS2489 System Approval (external devices)	IFAM	FBF2003 Seriell (9102.0450)	2	---	v.1.4.15.00
Control & Indicating Equipments for VdS2489 System Approval (external devices)	IFAM	FBA-CH (9102-0821)	2	---	V2.0.0.0
IMT4CPU (9101.5057)	IFAM	IMT4CPU (9101.5057)	2	---	IHD V-5-04-00-02 2014-01-30

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 22 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN54 PART	FW VERSION
IMT4PROC (9102.0238)	IFAM	IMT4PROC (9102.0238)	2	---	V-5-04-00- 02 2014-01-30
IMT4LED (9102.0235)	IFAM	IMT4LED (9102.0235)	2	---	---
IMT4LEDK (9102.0236)	IFAM	IMT4LEDK (9102.0236)	2	---	---
IMT4IN (9102.0234)	IFAM	IMT4IN (9102.0234)	2	---	---
IMT4OUT (9102.0237)	IFAM	IMT4OUT (9102.0237)	2	---	---
IMT4REL (9102.0239)	IFAM	IMT4REL (9102.0239)	2	---	---
IMT4UBEX (9102.1126)	IFAM	IMT4UBEX (9102.1126)	2	---	---

ANCILLARY EQUIPMENT DESCRIPTION LIST		
TYPE OF DEVICE	BRAND	MODEL
2 zone conventional panel	ZITON	ZP1-F2
2 zone conventional panel with Scandinavian key	ZITON	ZP1-F2-SC
4 zone conventional panel	ZITON	ZP1-F4
4 zone conventional panel with Alarm Counter	ZITON	ZP1-F4-NL
4 zone conventional panel with Scandinavian key	ZITON	ZP1-F4-SC
8 zone conventional panel	ZITON	ZP1-F8
8 zone conventional panel with Alarm Counter	ZITON	ZP1-F8-NL
8 zone conventional panel with Scandinavian key	ZITON	ZP1-F8-SC
Evacuation conventional panel	ZITON	ZP1-E4
Evacuation conventional panel with Alarm Counter	ZITON	ZP1-E4-NL
3 Zone conventional Extinguishing Panel	ZITON	ZP1-X3E
3 Zone conventional Extinguishing Panel with Scandinavian Key	ZITON	ZP1-X3E-SC

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 23 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 1

The optional features of the specifications that are included in the product and test report:

Fire detection and Fire Alarm System

Option with requirements evaluated as being compliant:

Clause 4	Requirements
Clause 5	Methods and evaluation tests
Appendix A	FDAS Functions
Appendix B	Classification of Functions FDAS

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 24 of 25

CERTALARM
the Quality Mark
for Fire
& Security

CERTIFICATE

No: 000218/05 - Annex No 2

Test Report Number:

19/31703614

Validity of Certificate:

The Certificate remains valid based upon satisfactory annual factory production control audits and follow up re-testing every 2 years from Certificate issue

Documents submitted:

SOP000-00001 STRUCTURE OF QUALITY MANEGEMENT SYSTEM (QMS), WEERT, REV.C, 01/MAY-2018

90-2002-102-0012-02, REV 02.00 MAR-2015

DISCLAIMER

This Certificate is for the exclusive use of Applus Client and is provided pursuant to the Certification agreement between Applus and its Client. Applus' responsibility and liability are limited to the terms and conditions of the agreement. Applus assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of the CertAlarm Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Applus name for the sale or advertisement of the tested material, product or service must first be approved in writing by Applus. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

Page 25 of 25

CERTALARM
the Quality Mark for Fire & Security