



External Sounders


Code: BCSENZ/S/PLUS/W

Senza S Plus Backplate | White | G3/G2

This Senza range of external warning devices includes 2 wired models at Grade 2 & 3 Environmental class IV and can be installed in security systems in accordance with EN50131-1: 2006 + A3: 2020.

Features & Benefits

- EN50131-4 Grade 2 and Grade 3 options
- Backlit option - 'Dusk to dawn or ON' backlit model only
- Comfort LEDs
- Lithium smart battery charging
- SAB/SCB option
- Confirmed alarm input - Audible and LED strobe - optional plus models
- Self test input plus models
- Fault relay output plus models
- Trigger polarity +/-



CQR Security, 125 Pasture Road, Moreton, Wirral, CH46 4TH
Sales: +44(0)151 6061000 (9am to 5pm Monday to Friday) **Tech:** +44(0)151 606 6311
sales@cqr.co.uk | www.cqr.co.uk

Company Registration Number: 5192024 | VAT Number: 309 0409 27



- Tamper polarity -/+ plus models
- Trigger wire monitoring plus models
- Adjustable siren timer 3min / 15min / intermittent depending on model
- Adjustable siren volume Hi/Lo

Product Information

Security Grade	3
Environmental Class	IV
Sounder Type	Piezo
Standards	EN50131-1, EN50131-4, EN50130-5
Tamper Protection	RFMS & Cover
Warranty	2
Backlight	None
Range	Senza

Housing

Colour	White
Material	Polycarbonate
Lens Colour	Supplied separately
Lens Material	Polycarbonate

Electrical

Sounder Type	Piezo
No. of Sounders	1
Sound Output (dB(A))	85 105
Nominal Voltage (Vdc)	12V
Flash Only Current (mA)	55mA
Sound Only Current (mA)	175mA
Sound & Flash Current (mA)	300
Battery	3.7v 2000mAh Lithium Ion

Features

Visual Indication	LED Flash
SAB/SCB	SAB & SCB
Trigger Wire Monitoring	Yes

CQR Security, 125 Pasture Road, Moreton, Wirral, CH46 4TH
Sales: +44(0)151 6061000 (9am to 5pm Monday to Friday) **Tech:** +44(0)151 606 6311
sales@cqr.co.uk | www.cqr.co.uk

Company Registration Number: 5192024 | VAT Number: 309 0409 27



Siren Timer (minutes)	3 15 Intermittent
Backlight	None
Confirmed Alarm Input	Yes
Self Test Input	Yes
Spirit Level	Yes
Comfort LEDs	Tamper Hold Off Battery
Adjustable Siren Volume	105 85
Features Selected by	Dipswitch
Selectable Grading	Yes
Engineer Hold Off	Yes
Fault Relay Output	Yes

